

Mark Scheme (Results)

Summer 2012

GCSE Mathematics (Linear) 1MA0 Higher (Calculator) Paper 2H

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2012
Publications Code UG032626
All the material in this publication is copyright
© Pearson Education Ltd 2012

NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
 - i) ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear Comprehension and meaning is clear by using correct notation and labelling conventions.
 - ii) select and use a form and style of writing appropriate to purpose and to complex subject matter

 Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
 - iii) organise information clearly and coherently, using specialist vocabulary when appropriate.

 The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 - 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme

M1 – method mark

A1 – accuracy mark

B1 – Working mark

C1 – communication mark

QWC – quality of written communication

oe – or equivalent

cao - correct answer only

ft – follow through

sc – special case

dep – dependent (on a previous mark or conclusion)

indep – independent

isw – ignore subsequent working

1MA	0_2H				
Qu	estion	Working	Answer	Mark	Notes
1		180 – 47	133	3	M1 for 180 – 47 A1 for 133 C1(dep on M1) for full reasons e.g. angles on a straight line add up to 180° and alternate angles are equal OR corresponding angles are equal and angles on a straight line add up to 180° OR vertically opposite angles (or vertically opposite angles) are equal and allied angles (or co-interior angles) add up to 180°
2	(a) (b)	$\frac{546.7}{12.5}$ =	43.736	2	B2 for 43.736 (B1 for 546.7 or $\frac{5467}{10}$ or $\frac{5467}{125}$ or 12.5 or $\frac{25}{2}$ or 43.7 or 43.8 or 43.73 or 43.74 or 40 or 44) B1 for 40 or ft from their answer to (a) provided (a) is written to 2 or more significant figures

1MA	0_2H				
Qu	estion	Working	Answer	Mark	Notes
3	(a)		reasons	2	1 st aspect: time frame 2 nd aspect: overlapping boxes 3 rd aspect: not exhaustive (eg. no box for more than 4) B2 any two aspects (B1 any one aspect)
	(b)		How much time do you spend playing sport each week/month None 1 hr to 2 hrs 3 hrs to 5 hrs More than 5 hrs	2	B1 for a suitable question which includes a time frame and unit (the time frame and unit could appear with the response boxes) B1 for at least 3 non-overlapping response boxes (need not be exhaustive) or at least 3 response boxes exhaustive for all integer values of their time unit (could be overlapping). [Do not allow inequalities in response boxes]

1MA0_2H				
Question	Working	Answer	Mark	Notes
4	x -1 0 1 2 3 y -5 -2 1 4 7 $\sqrt{\frac{1}{y}}$ OR Using $y = mx + c$ gradient = 3 y intercept = -2	Straight line from (-1, -5) to (3, 7)	3	 (Table of values) M1 for at least 2 correct attempts to find points by substituting values of x. M1 ft for plotting at least 2 of their points (any points plotted from their table must be correctly plotted) A1 for correct line between −1 and 3 (No table of values) M2 for at least 2 correct points (and no incorrect points) plotted OR line segment of y = 3x−2 drawn (ignore any additional incorrect segments) (M1 for at least 3 correct points plotted with no more than 2 incorrect points) A1 for correct line between −1 and 3 (Use of y = mx+c) M2 for line segment of y = 3x − 2 drawn (ignore any additional incorrect segments) (M1 for line drawn with gradient of 3 OR line drawn with a y intercept of −2 and a positive gradient) A1 for correct line between −1 and 3

1MA0_	2H				
Quest	tion	Working	Answer	Mark	Notes
5		$(17-2.8) \times 9.5 = 134.9$ $\pi \times (3.8 \div 2)^2 = 11.34$ $134.9 - 2 \times 11.34 = 112.21$ $112.21 \div 25 = 4.488$	5	5	M1 for $(17-2.8) \times 9.5$ (=134.9) or $17 \times 9.5 - 2.8 \times 9.5$ (= 161.5 - 26.6 = 134.9) M1 for $\pi \times (3.8 \div 2)^2$ (= 11.33 - 11.35) M1 (dep on M1) for '134.9' - 2 × '11.34' A1 for 112 - 113 C1(dep on at least M1) for 'He needs 5 boxes' ft from candidate's calculation rounded up to the next integer
6			Farm shop	4	M1 for $12.5 \div 2.5$ (=5) M1 for '5'×1.83 or '5' × 183 A1 for (£)9.15 or 915(p) C1 (dep on at least M1) for decision ft working shown OR M1 for $12.5 \div 2.5$ (=5) M1 for $9 \div$ '5' or $900 \div$ '5' A1 for (£)1.8(0) or 180 (p) C1 (dep on at least M1) for decision ft working shown OR M1 for $9 \div 12.5$ (=0.72) or $1.83 \div 2.5$ (=0.732) M1 for $9 \div 12.5$ (=0.72) and $1.83 \div 2.5$ (=0.732) A1 for 72 (p) and $73.$ (2)(p) or (£)0.72 and (£)0.73(2) C1 (dep on at least M1) for decision ft working shown OR M1 for $12.5 \div 9$ (= 1.388) M1 for $2.5 \div 1.83$ (= 1.366) A1 for 1.38 and 1.36 truncated or rounded C1 (dep on at least M1) for decision ft working shown

1MA	A0_2H				
Qu	iestion	Working	Answer	Mark	Notes
7	(a)		negative	1	B1 for negative
	(b)		10.3 – 11.7	2	M1 for a single straight line segment with negative gradient that could be used as a line of best fit or an indication on the diagram from 2.5 on the x axis A1 for an answer in the range $10.3 - 11.7$ inclusive
8	(a)		Triangle with vertices (2,-1) (4, -1) (4, -4)	2	B2 for triangle with vertices (2,-1) (4, -1) (4, -4) (B1 for triangle in correct orientation or rotated 90° anticlockwise centre <i>O</i>
	(b)		Triangle with vertices (7, 2) (13, 2) (7, 11)	3	B3 for triangle with vertices (7, 2) (13, 2) (7, 11) (B2 for 2 vertices correct or enlargement scale factor 3 in wrong position or enlargement, centre (1,2), with different scale factor) (B1 for 1 vertex correct or enlargement, not from (1,2), different scale factor)
9			51	3	M1 200 × 25.82 (= 5164) A1 for 5164 or 5160 or 5100 or 5200 or 51.64 or 51.6(0) or 52 A1 for 51 cao OR M1 for 100 ÷ 25.82 (= 3.87) and 200 ÷ '3.87' (= 51.64) A1 for 5164 or 5160 or 5100 or 5200 or 51.64 or 51.6(0) or 52 A1 for 51 cao

1MA	0_2H				
Que	estion	Working	Answer	Mark	Notes
10	(a)		-1, 0, 1, 2, 3	2	B2 for all 5 correct values; ignore repeats, any order. (–1 for each omission or additional value)
	(b)	7x - 3x < 4 + 9 $4x < 13$	x < 3.25	2	M1 for a clear intention to use a correct operation to collect x terms or non- x terms in an (in)equality A1 for $x < 3.25$ oe
					(SC: B1 for 3.25 oe seen if M0 scored)
11		x = 4 gives 40 x = 5 gives 95 x = 4.1 gives 44.(321) x = 4.2 gives 48.(888) x = 4.3 gives 53.(707) x = 4.4 gives 58.(784) x = 4.5 gives 64.(125) x = 4.6 gives 69.(736) x = 4.7 gives 75.(623) x = 4.8 gives 81.(792) x = 4.9 gives 88.(249) x = 4.61 gives 70.3(12) x = 4.62 gives 70.8(91) x = 4.63 gives 71.4(72) x = 4.64 gives 72.0(57) x = 4.65 gives 72.6(44)	4.6	4	B2 for a trial $4.6 \le x \le 4.7$ evaluated (B1 for a trial $4 \le x \le 5$ evaluated) B1 for a different trial $4.6 < x \le 4.65$ evaluated B1 (dep on at least one previous B1) for 4.6 Accept trials correct to the nearest whole number (rounded or truncated) if the value of x is to 1 dp but correct to 1dp (rounded or truncated) if the value of x is to 2 dp. (Accept 72 for $x = 4.64$) NB: no working scores no marks even if the answer is correct.

1MA0_2H				
Question	n Working	Answer	Mark	Notes
12	0.3 × 400	120	2	M1 for 0.3 × 400 oe A1 cao
13	5×3+15×8+25×11+35×9+45×9 =1130 1130 ÷ 40	28.25	4	M1 for finding fx with x consistent within intervals (including the end points) allow 1 error M1 (dep) for use of all correct mid-interval values M1 (dep on first M1) for $\Sigma fx \div 40$ or $\Sigma fx \div \Sigma f$ A1 for 28.25 or $28\frac{1}{4}$

1MA	.0_2H				
Qu	estion	Working	Answer	Mark	Notes
14	(a)	$p^2 - 4p + 9p - 36$	$p^2 + 5p - 36$	2	M1 for all 4 terms correct (condone incorrect signs) or 3 out of 4 terms correct with correct signs A1 cao
	(b)	5w - 8 = 3(4w + 2) $5w - 8 = 12w + 6$ $-8 - 6 = 12w - 5w$ $-14 = 7w$	-2	3	M1 for attempting to multiply both sides by 3 as a first step (this can be implied by equations of the form $5w - 8 = 12w + ?$ or $5w - 8 = ?w + 6$ i.e. the LHS must be correct M1 for isolating terms in w and the number terms correctly from $aw + b = cw + d$ A1 cao OR M1 for $\frac{5w}{3} - \frac{8}{3} = 4w + 2$ M1 for isolating terms in w and the number terms correctly A1 cao
	(c)		(x+7)(x-7)	1	B1 cao
	(d)		$3x^4y^{\frac{3}{2}}$	2	B2 for $3x^4y^{\frac{3}{2}}$ or $3x^4y^{1.5}$ or $3x^4y^{\frac{1}{2}}$ (B1 for any two terms correct in a product eg. $3x^4y^n$)

1MA0_2H				
Question	Working	Answer	Mark	Notes
*15	180 × 365 = 65700 65700 ÷ 1000 = 65.7 65.7 × 91.22 = 5993.154 5993.154÷100 + 28.20 = 88.13 D U C T 366 65880 6010 88.30 365 65700 5993 88.13 65000 5929 87.49 66000 6020 88.40 364 65520 5976 87.96 360 64800 5911 87.31 336 60480 5517 83.37	Decision (Should have a water meter installed)	5	Per year M1 for 180 × '365' (= 65700) M1 for '65700' ÷ 1000 (= 65.7 or 65 or 66) M1 for '65.7' × 91.22 (= 5993) A1 for answer in range (£)87 to (£)89 C1 (dep on at least M1) for conclusion following from working seen OR (per day) M1 for 107 ÷ '365' (= 0.293) M1 for 180 ÷ 1000 × 91.22 (= 16.4196) M1 for 28.2 ÷ '365' + '0.164196' (units must be consistent) A1 for 29 – 30(p) and 24 – 24.3(p) oe C1 (dep on at least M1) for conclusion following from working seen OR M1 for (107 – 28.20) ÷ 0.9122 (= 86.384) M1 for '86.384'× 1000 (= 86384.5) M1 for '365' × 180 (= 65700) A1 for 65700 and 86384.5 C1 (dep on at least M1) for conclusion following from working seen NB : Allow 365 or 366 or 52×7 (=364) or 12 × 30 (=360) or 365¼ for number of days

Question Working Answer Mark Notes 16 $\cos x = \frac{6.4}{9.6}$ 3 M1 for $\cos x = \frac{6.4}{9.6}$ or $\cos x = 0.66(6)$ $x = \cos^{-1} \frac{6.4}{9.6} = 0$ M1 for $\cos^{-1} \frac{6.4}{9.6}$ or $\cos^{-1} 0.66(6)$ or $\cos^{-1} 0.67(6)$ A1 for $48.1 - 48.2$	1MA0_2H				
$\cos x = \frac{6.4}{9.6}$ $x = \cos^{-1} \frac{6.4}{9.6} = $ M1 for $\cos x = \frac{6.4}{9.6}$ or $\cos x = 0.66(6)$	Question	n Working	Answer	Mark	Notes
marks until M1 for $\sin x = \frac{'7.155}{9.6}$ or $\tan x = \frac{'7.155}{6.4}$ or $\sin x = \frac{'7.155}{9.6} \times \sin 90$ or $\cos x = \frac{6.4^2 + 9.6^2 - '7.155^2}{2 \times 6.4 \times 9.6}$ M1 for $\sin^{-1} \frac{'7.155}{9.6}$ or $\tan^{-1} \frac{'7.155}{6.4}$ or $\sin^{-1} \left(\frac{'7.155}{9.6} \times \sin 90\right)$ or $\cos^{-1} \left(\frac{(7.155)}{9.6} \times \sin 90\right)$ or $\cos^{-1} \left(\frac{(6.4^2 + 9.6^2 - '7.155^2)}{2 \times 6.4 \times 9.6}\right)$ A1 for $48.1 - 48.2$		$\cos x = \frac{6.4}{9.6}$			M1 for $\cos x = \frac{6.4}{9.6}$ or $\cos x = 0.66(6)$ or $\cos x = 0.67$ M1 for $\cos^{-1} \frac{6.4}{9.6}$ or $\cos^{-1} 0.66(6)$ or $\cos^{-1} 0.67$ A1 for $48.1 - 48.2$ OR Correct use of Pythagoras and then trigonometry, no marks until M1 for $\sin x = \frac{7.155}{9.6}$ or $\tan x = \frac{7.155}{6.4}$ or $\sin x = \frac{7.155}{9.6} \times \sin 90$ or $\cos x = \frac{6.4^2 + 9.6^2 - 7.155^2}{2 \times 6.4 \times 9.6}$ M1 for $\sin^{-1} \frac{7.155}{9.6}$ or $\tan^{-1} \frac{7.155}{6.4}$ or $\sin^{-1} \left(\frac{7.155}{9.6} \times \sin 90\right)$ or $\cos^{-1} \left(\frac{6.4^2 + 9.6^2 - 7.155^2}{2 \times 6.4 \times 9.6}\right)$

1MA0_2H				
Question	Working	Answer	Mark	Notes
17	$6200 \times 1.025^{3} =$ OR $6200 + \frac{2.5}{100} \times 6200 = 6355$ $6355 + \frac{2.5}{100} \times 6355 = 6513.875$ $6513.875 + \frac{2.5}{100} \times 6513.875 =$	6676.72	3	M2 for 6200×1.025^3 (= 6676.72) (M1 for 6200×1.025^n , $n \neq 3$) A1 for 6676.72 , accept 6676.71 or 6676.73 OR M1 for 6200×1.025 or for $6200 + \frac{2.5}{100} \times 6200$ oe or for 6355 or 155 or 465 or 6665 M1 (dep) for a complete compound interest method shown for 3 years A1 for 6676.72 , accept 6676.71 or 6676.73 [SC B2 for 476.71 or 476.72 or 476.73 seen]

1MA0_2H	1MA0_2H						
Question	Working	Answer	Mark	Notes			
18	$BD^2 + 12^2 = 16^2$ oe	16.5	5	M1 for $BD^2 + 12^2 = 16^2$ oe or $16^2 - 12^2$ or 112 seen			
	$BD = \sqrt{256 - 144}$			M1 for $\sqrt{256-144}$ or $\sqrt{112}$ (=10.58)			
	$ \sin 40 = \frac{10.58}{CD} $			M1 for $\sin 40 = \frac{10.58'}{CD}$ or $\cos 50 = \frac{10.58'}{CD}$			
	$CD = \frac{10.58}{}$			M1 for $(CD =) \frac{'10.58'}{\sin 40}$ or $\frac{'10.58'}{\cos 50}$			
	$CD = \frac{1800}{\sin 40}$			A1 for 16.4 – 16.5			
				OR M1 for $BD^2 + 12^2 = 16^2$ oe or $16^2 - 12^2$ or 112 seen			
				M1 for $\sqrt{256-144}$ or $\sqrt{112}$ (=10.58)			
				M1 for $(BC =)$ '10.58'× tan 50 or $\frac{10.58'}{\tan 40}$ (=12.6)			
				M1 for $\sqrt{12.6^{2}+10.58^{2}}$			
				A1 for 16.4 – 16.5			

1MA0_2H	1MA0_2H						
Question	Working	Answer	Mark	Notes			
19	$ \sqrt{\frac{8.5 \times 10^9 - 4 \times 10^8}{8.5 \times 10^9 \times 4 \times 10^8}} $ $ = \sqrt{\frac{8.1 \times 10^9}{3.4 \times 10^{18}}} $ $ = \sqrt{2.3823529 \times 10^{-9}} $ $ \mathbf{OR} $ $ \sqrt{\frac{1}{4 \times 10^8} - \frac{1}{8.5 \times 10^9}} $ $ = \sqrt{2.5 \times 10^{-9} - 1.17647 \times 10^{-10}} $ $ = \sqrt{2.3823529 \times 10^{-9}} $	4.9 × 10 ⁻⁵	3	B3 for 4.88×10^{-5} to 4.9×10^{-5} (B2 for digits $238(23529)$ or 24 or $488(09353)$ or 49) (B1 for digits 81 or 34) OR B3 for 4.88×10^{-5} to 4.9×10^{-5} (B2 for digits $238(23529)$ or 24 or $488(09353)$ or 49) (B1 for digits 25 or $117(647)$)			
20	$2d - 2t = 4t + 7$ $2d - 7 = 4t + 2t$ $2d - 7 = 6t$ $\frac{2d - 7}{6}$	$\frac{2d-7}{6}$	3	B1 for $2d - 2t$ or $2t + \frac{7}{2}$ oe M1 for rearranging 4 terms correctly to isolate terms in t e.g. $2d' - 7 = 4t + 2t'$ or $2d - 7 = 6t$ or $-6t = 7 - 2d$ seen A1 for $\frac{2d - 7}{6}$ oe			
21	$4n^{2} + 12n + 3^{2} - (4n^{2} - 12n + 3^{2})$ $= 4n^{2} + 12n + 9 - 4n^{2} + 12n - 9$ $= 24n$ $= 8 \times 3n$	Proof	3	M1 for 3 out of 4 terms correct in expansion of either $(2n+3)^2$ or $(2n-3)^2$ or $((2n+3)-(2n-3))((2n+3)+(2n-3))$ A1 for 24n from correct expansion of both brackets A1 (dep on A1) for 24n is a multiple of 8 or $24n = 8 \times 3n$ or $24n \div 8 = 3n$			

1MA0_2H	1MA0_2H							
Question	Working	Answer	Mark	Notes				
22	$a = 3, b = -4, c = -2$ $x = \frac{4 \pm \sqrt{(-4)^2 - 4 \times 3 \times -2}}{2 \times 3}$ $= \frac{4 \pm \sqrt{16 + 24}}{6} = \frac{4 \pm \sqrt{40}}{6}$ $= 1.72075922$ or $= -0.3874258867$ OR $x^2 - \frac{4}{3}x - \frac{2}{3} = 0$ $\left(x - \frac{2}{3}\right)^2 - \left(\frac{2}{3}\right)^2 - \frac{2}{3} = 0$ $x - \frac{2}{3} = \sqrt{\left(\frac{2}{3}\right)^2 + \frac{2}{3}}$ $x = \frac{2}{3} \pm \sqrt{\frac{10}{9}}$	1.72, -0.387	3	M1 for $\frac{4\pm\sqrt{(-4)^2-4\times3\times-2}}{2\times3}$ (condone incorrect signs for -4 and -2) M1 for $\frac{4\pm\sqrt{40}}{6}$ or $\frac{2\pm\sqrt{10}}{3}$ A1 for one answer in the range 1.72 to 1.721 and one answer in the range -0.387 to -0.38743 OR M1 for $\left(x-\frac{2}{3}\right)^2$ oe M1 for method leading to $\frac{2}{3}\pm\sqrt{\frac{10}{9}}$ oe A1 for one answer in the range 1.72 to 1.721 and one answer in the range -0.387 to -0.38743				

1MA	1MA0_2H						
Qu	estion	Working	Answer	Mark	Notes		
23	(a)(i)	Explanation: Each member of the population has an equal chance of selection	Each member of the population has an equal chance of selection	2	B1 for explanation		
	(ii)	Description : Eg. number each student and use random select on a calculator	Valid method		B1 for an acceptable description		
	(b)	239+257+248+190+206=1140 239 1140 ×100	21	2	M1 for $\frac{239}{1140} \times 100$ oe or 20.96 A1 cao		

1MA0_2H	1MA0_2H						
Question	Working	Answer	Mark	Notes			
24	$\frac{AC}{\sin 49} = \frac{8.7}{\sin 64}$ $AC = \frac{8.7}{\sin 64} \times \sin 49$ $(= 7.305)$ $\frac{1}{2} \times 8.7 \times 7.305 \times \sin (180 - 64 - 49)$	29.3	5 5	M1 for $\frac{AC}{\sin 49} = \frac{8.7}{\sin 64}$ oe M1 for $(AC =) \frac{8.7}{\sin 64} \times \sin 49$ A1 for $7.3(05)$ M1 for $\frac{1}{2} \times 8.7 \times `7.305` \times \sin(180 - 64 - 49)$ A1 for $29.19 - 29.3$ OR M1 for $\frac{BC}{\sin(180 - 64 - 49)} = \frac{8.7}{\sin 64}$ oe M1 for $(BC =) \frac{8.7}{\sin 64} \times \sin' 67'$ A1 for $8.9(10)$ M1 for $\frac{1}{2} \times 8.7 \times `8.910` \times \sin 49$ A1 for $29.19 - 29.3$ OR (X is point such that AX is perpendicular to BC) M1 for $AX = 8.7 \times \sin 49 = 6.565$ or $AB = 8.7 \times \cos 49 = 5.707$ M1 for $AB = 8.7 \times \cos 49 = 5.707$ M1 for $AB = 8.7 \times \cos 49 = 5.707$ A2 for $AB = 8.7 \times \cos 49 = 5.707$ A1 for $AB = 8.7 \times \cos 49 = 5.707$ A2 for $AB = 8.7 \times \cos 49 = 5.707$ A1 for $AB = 8.7 \times \cos 49 = 5.707$ A2 for $AB = 8.7 \times \cos 49 = 5.707$ A1 for $AB = 8.7 \times \cos 49 = 5.707$ A2 for $AB = 8.7 \times \cos 49 = 5.707$ A2 for $AB = 8.7 \times \cos 49 = 5.707$ A1 for $AB = 8.7 \times \cos 49 = 5.707$ A2 for $AB = 8.7 \times \cos 49 = 5.707$ A2 for $AB = 8.7 \times \cos 49 = 5.707$ A2 for $AB = 8.7 \times \cos 49 = 5.707$ A2 for $AB = 8.7 \times \cos 49 = 5.707$ A2 for $AB = $			

1MA0_2H	1MA0_2H						
Question	Working	Answer	Mark	Notes			
_	Working $ \frac{12}{20} \times \frac{11}{19} + \frac{5}{20} \times \frac{4}{19} + \frac{3}{20} \times \frac{2}{19} $ $ 1 - \left(\frac{12}{20} \times \frac{11}{19} + \frac{5}{20} \times \frac{4}{19} + \frac{3}{20} \times \frac{2}{19}\right) $	<u>222</u> 380	Mark 4	B1 for $\frac{12}{19}$ or $\frac{5}{19}$ or $\frac{3}{19}$ (could be seen in working or on a tree diagram) M1 for $\frac{12}{20} \times \frac{5}{19}$ or $\frac{12}{20} \times \frac{3}{19}$ or $\frac{5}{20} \times \frac{12}{19}$ or $\frac{5}{20} \times \frac{3}{19}$ or $\frac{3}{20} \times \frac{12}{19}$ or $\frac{3}{20} \times \frac{5}{19}$ M1 for $\frac{12}{20} \times \frac{5}{19} + \frac{12}{20} \times \frac{3}{19} + \frac{5}{20} \times \frac{12}{19} + \frac{5}{20} \times \frac{3}{19} + \frac{3}{20} \times \frac{12}{19} + \frac{3}{20} \times \frac{5}{19}$ A1 for $\frac{222}{380}$ oe or $0.58(421)$ OR B1 for $\frac{8}{19}$ or $\frac{15}{19}$ or $\frac{17}{19}$ M1 for $\frac{12}{20} \times \frac{8}{19}$ or $\frac{5}{20} \times \frac{15}{19}$ or $\frac{3}{20} \times \frac{17}{19}$ M1 for $\frac{12}{20} \times \frac{8}{19} + \frac{5}{20} \times \frac{15}{19} + \frac{3}{20} \times \frac{17}{19}$			
				A1 for $\frac{222}{380}$ oe or 0.58(421) OR (continued overleaf)			

Question Working Answer Mark Notes 25 contd B1 for $\frac{11}{19}$ or $\frac{4}{19}$ or $\frac{2}{19}$ $\frac{1}{19}$ or $\frac{4}{19}$ or $\frac{3}{20} \times \frac{2}{19}$ M1 for $\frac{12}{20} \times \frac{11}{19} + \frac{5}{20} \times \frac{4}{19} + \frac{3}{20} \times \frac{2}{19}$ M1 for $1 - \left(\frac{12}{20} \times \frac{11}{19} + \frac{5}{20} \times \frac{4}{19} + \frac{3}{20} \times \frac{2}{19}\right)$ A1 for $\frac{222}{380}$ or $0 \cdot 0.58(421)$ NB if decimals used they must be correct to at least 2 decimal places SC: with replacement B2 for $\frac{111}{200}$ oe OR e.g. B0 M1 for $\frac{12}{20} \times \frac{8}{20}$ or $\frac{5}{20} \times \frac{15}{20}$ or $\frac{3}{20} \times \frac{17}{20}$ M1 for $\frac{12}{20} \times \frac{8}{20} \times \frac{5}{20} \times \frac{15}{20} \times \frac{3}{20} \times \frac{17}{20}$ M1 for $\frac{12}{20} \times \frac{8}{20} \times \frac{5}{20} \times \frac{15}{20} \times \frac{3}{20} \times \frac{17}{20}$	$\begin{array}{c} 25\\ \text{contd} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$	1MA0_2H					
contd B1 for $\frac{1}{19}$ or $\frac{1}{19}$ or $\frac{3}{10}$ or $\frac{3}{20} \times \frac{2}{19}$ M1 for $\frac{12}{20} \times \frac{11}{19}$ or $\frac{5}{20} \times \frac{4}{19}$ or $\frac{3}{20} \times \frac{2}{19}$ M1 for $1 - \left(\frac{12}{20} \times \frac{11}{19} + \frac{5}{20} \times \frac{4}{19} + \frac{3}{20} \times \frac{2}{19}\right)$ A1 for $\frac{222}{380}$ oe or $0.58(421)$ NB if decimals used they must be correct to at least 2 decimal places SC: with replacement B2 for $\frac{111}{200}$ oe OR e.g. B0 M1 for $\frac{12}{20} \times \frac{8}{20}$ or $\frac{5}{20} \times \frac{15}{20}$ or $\frac{3}{20} \times \frac{17}{20}$	contd B1 for $\frac{12}{19}$ or $\frac{1}{19}$ or $\frac{1}{19}$ M1 for $\frac{12}{20} \times \frac{11}{19}$ or $\frac{5}{20} \times \frac{4}{19}$ or $\frac{3}{20} \times \frac{1}{19}$ M1 for $1 - \left(\frac{12}{20} \times \frac{11}{19} + \frac{5}{20} \times \frac{4}{19} + \frac{3}{20} \times \frac{1}{19}\right)$ A1 for $\frac{222}{380}$ oe or 0.58(421) NB if decimals used they must be corrected decimal places						
A0	B2 for $\frac{111}{200}$ oe OR e.g. B0 M1 for $\frac{12}{20} \times \frac{8}{20}$ or $\frac{5}{20} \times \frac{15}{20}$ or $\frac{3}{20} \times \frac{15}{20}$ or $\frac{3}{20} \times \frac{15}{20} \times 1$	$\left(\frac{2}{19}\right)$ exct to at least 2 $\times \frac{17}{20}$					

1MA0_2	1MA0_2H						
Questio	on	Working	Answer	Mark	Notes		
26	(a)		$\mathbf{b} - \mathbf{a}$	1	B1 for $\mathbf{b} - \mathbf{a}$ or $-\mathbf{a} + \mathbf{b}$		
	(b)	$\overrightarrow{OP} = \overrightarrow{OA} + \overrightarrow{AP}$ $\overrightarrow{AP} = \frac{3}{4} \times (\mathbf{b} - \mathbf{a})$ $\overrightarrow{OP} = \mathbf{a} + \frac{3}{4} \times (\mathbf{b} - \mathbf{a})$ OR $\overrightarrow{OP} = \overrightarrow{OB} + \overrightarrow{BP}$ $\overrightarrow{BP} = \frac{1}{4} \times (\mathbf{a} - \mathbf{b})$ $\overrightarrow{OP} = \mathbf{b} + \frac{1}{4} \times (\mathbf{a} - \mathbf{b})$	$\frac{1}{4}(\mathbf{a}+3\mathbf{b})$	3	B1 for $\frac{3}{4} \times \text{'}(\mathbf{b} - \mathbf{a})\text{'}$ M1 for $(\overrightarrow{OP} =) \overrightarrow{OA} + \overrightarrow{AP} \text{ or } (\overrightarrow{OP} =) \overrightarrow{OA} + \frac{3}{4}\overrightarrow{AB}$ or $\mathbf{a} \pm \frac{3}{4} \times \text{'}(\mathbf{b} - \mathbf{a})\text{'}$ A1 for $\frac{1}{4}(\mathbf{a} + 3\mathbf{b})$ or $\frac{1}{4}\mathbf{a} + \frac{3}{4}\mathbf{b}$ OR B1 for $\frac{1}{4} \times \text{'}(\mathbf{a} - \mathbf{b})\text{'}$ M1 for $(\overrightarrow{OP} =) \overrightarrow{OB} + \overrightarrow{BP} \text{ or } (\overrightarrow{OP} =) \overrightarrow{OB} + \frac{1}{4}\overrightarrow{BA}$ or $\mathbf{b} \pm \frac{1}{4} \times \text{'}(\mathbf{a} - \mathbf{b})\text{'}$ A1 for $\frac{1}{4}(\mathbf{a} + 3\mathbf{b})$ or $\frac{1}{4}\mathbf{a} + \frac{3}{4}\mathbf{b}$		

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481
Email <u>publication.orders@edexcel.com</u>
Order Code UG032626 Summer 2012

For more information on Edexcel qualifications, please visit our website $\underline{www.edexcel.com}$

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE





