


2. An experiment consists of selecting a ball from a bag and spinning a coin. The bag contains 5 red balls and 7 blue balls. A ball is selected at random from the bag, its colour is noted and then the ball is returned to the bag.

When a red ball is selected, a biased coin with probability $\frac{2}{3}$ of landing heads is spun.

When a blue ball is selected a fair coin is spun.

(a) Complete the tree diagram below to show the possible outcomes and associated probabilities.



(2)

Shivani selects a ball and spins the appropriate coin.

(b) Find the probability that she obtains a head.

(2)

Given that Tom selected a ball at random and obtained a head when he spun the appropriate coin,

(c) find the probability that Tom selected a red ball.

(3)

Shivani and Tom each repeat this experiment.

(d) Find the probability that the colour of the ball Shivani selects is the same as the colour of the ball Tom selects.

(3)




6. A travel agent sells flights to different destinations from *Beerow* airport. The distance d , measured in 100 km, of the destination from the airport and the fare $\pounds f$ are recorded for a random sample of 6 destinations.

| Destination | <i>A</i> | <i>B</i> | <i>C</i> | <i>D</i> | <i>E</i> | <i>F</i> |
|-------------|----------|----------|----------|----------|----------|----------|
| d | 2.2 | 4.0 | 6.0 | 2.5 | 8.0 | 5.0 |
| f | 18 | 20 | 25 | 23 | 32 | 28 |

[You may use $\sum d^2 = 152.09$ $\sum f^2 = 3686$ $\sum fd = 723.1$]

- (a) Using the axes below, complete a scatter diagram to illustrate this information. (2)
 - (b) Explain why a linear regression model may be appropriate to describe the relationship between f and d . (1)
 - (c) Calculate S_{dd} and S_{fd} (4)
 - (d) Calculate the equation of the regression line of f on d giving your answer in the form $f = a + bd$. (4)
 - (e) Give an interpretation of the value of b . (1)
- Jane is planning her holiday and wishes to fly from *Beerow* airport to a destination t km away. A rival travel agent charges 5p per km.
- (f) Find the range of values of t for which the first travel agent is cheaper than the rival. (2)



BLANK PAGE

